

FIG. 1




FIG. 2




FIG. 2A




FIG. 3




FIG. 4




FIG. 5




FIG. 5A




FIG. 6




FIG. 7

FORMATTING INSTRUCTIONS 828									
Field Identifier (primary key)	Tag	Tag Terminator	Tag-Content Separator	Content Format String	Default Content	Field Terminator	Field Separator	Pad (none, left, right, both)	Pad character
codeXML date	^1787^date	/	<none>	nnnn/nn/nn	<none>	<none>	<none>	none	<none>
codeXML first name	^1787^fname	/	<none>	a*	<none>	<none>	<none>	none	<none>
codeXML middle initial	^1787^minit	/	<none>	a*	<none>	<none>	<none>	none	<none>
codeXML last name	^1787^lname	/	<none>	a*	<none>	<none>	<none>	none	<none>
codeXML SSN	^1787^ssn	/	<none>	nnn-nn-nnnn	<none>	<none>	<none>	none	<none>
Spec2000 MFR	MFR	<none>	<space>	a*	<none>	<none>	/	none	<none>
Spec2000 PNR	PNR	<none>	<space>	n*	<none>	<none>	/	none	<none>

⋮ ⋮

FIG. 8

832










FIG. 11




FIG. 12




FIG. 13




FIG. 14